


LETTER TO EDITOR

The psychological consequences of COVID-19 on children's world

How to Cite This Article: Sinaei R , Pezeshki S, Yazdani M, Sabzevari F, Hassas Yeganeh M. The psychological consequences of COVID-19 on children's world. Iran J Child Neurol. Spring 2021; 15(2): 97- 99

DOI:10.22037/ijcn.v15i1.31668

Reza SINAEI^{1,2},
Sara PEZESHKI^{2,3},
Mostafa YAZDANI⁴,
Fatemeh SABZEVAR⁵,
Mehrnoush HASSAS YEGANEH⁶

1. Department of Pediatrics,
Kerman University of Medical
Sciences, Kerman, Iran
2. Endocrinology and Metabolism
Research Center, Institute of Basic
and Clinical Physiology Sciences,
Kerman University of Medical
Sciences, Kerman, Iran.
3. Department of Internal
Medicine, Kerman University of
Medical Sciences, Kerman, Iran;
4. Department of Psychiatry,
Kerman University of Medical
Sciences, Kerman, Iran,
5. Department of Pediatrics,
Afzalipour Hospital, Kerman
University of Medical Sciences,
Kerman, Iran.
6. Pediatric Rheumatology
Department, Shahid Beheshti
University of Medical Sciences,
Tehran, Iran.

Corresponding Author

Sabzevari F. MD
Afzalipour Hospital, Kerman

Dear Editor-in-Chief

The world's countries are presently shaken by a novel member of the coronavirus family. Apparently, a very tiny creature has been commissioned to carry out a large mission. This issue causes us to experience a universal life-threatening condition that is changing the life framework for humans. It appears that humans are showing a more real picture of themselves in the current turmoil. This fragile creature does not appear invincible despite a state of self-confidence that reaps its rewards. The structures are broken down in both advanced and underdeveloped societies. The adoption of special preventive measures for COVID-19 aiming to control the disease has currently failed in the United States, European countries, and Asia. There were more than 15, 000, 000 COVID-19 cases and more than 600, 000 deaths worldwide in the first six month of the COVID-19 pandemic. Children are likely to be the most affected group by the COVID-19 pandemic. However, children usually present with milder COVID-19 symptoms and have a lower fatality rate than other age groups (1). Albeit, the increased severity of the disease has been recently reported among children as a new hyperinflammatory entity similar to Kawasaki and some comorbidities (2).

Children and adolescents are highly vulnerable to the impact of persistent stressors during developmentally unique and sensitive conditions (3, 4). Depression and anxiety are among the most common mental disorders in children, with global burden of the disease and significant functional impacts (5, 6). As the disease progresses over an unchanging period of time, a typical development and expression of depressive and anxiety disorders will occur in the communities. Children are deprived of many activities including doing physical and extracurricular activities, going to school, and other activities that form other daily life rhythms and structures (7). We believe that continuing this harmful situation causes more severe psychiatric disorders. Self-esteem and some basic needs

University of Medical Sciences, Kerman,
Iran

Email: f_sabzevari@kmu.ac.ir

Received: 09-Aug-2020

Accepted: 11-Aug-2020

such as food and physical safety may be involved. The pandemic may also exacerbate specific types of disorder including obsessive-compulsive disorders, generalized anxiety, and specific phobias.

Moreover, parents are indispensable for mollifying children's stressors. Children's mental health is significantly influenced by family members, especially protectors, since people's interactions have been profoundly affected by the pandemic. However, to provide the best support possible, parents are required to be in suitable physical and psychological conditions. Since parents continuously have debilitating experiences such as loss of job and loved ones, their ability to relieve other family members' pain inevitably decreases over time.

In Iran, we are going through a difficult time. There will definitely be many psychological consequences of the disease that will divide our world into eras before and after the COVID-19 pandemic. Both children and their parents have been affected by different mental disorders caused by the illness. However, children are more vulnerable and the persistence of this sensitive stressor can have more impact on their quality of life, both physically and mentally. We aim to evaluate the potential impacts of the COVID-19 pandemic on the mental health of both children and their parents in the southeast of Iran. We will report the preliminary results of our study soon, while we feel the consequences of this great stressor every day. Certainly, this situation

will have long-term effects and the world will need a new movement toward mental health, although poverty, famine, and political corruption are the main issues against the expansion of psychological solutions.

Acknowledgement

We would like to thank all medical staff members involved in this study. Ethics approval Informed consent was obtained from all patients before the study and the Ethics Committee of the Kerman University of Medical Sciences approved the study (Code: IR.KMU.AH.REC.1399.026).

Author's Contribution

All the authors contributed to the design and implementation of the research, analysis of the results, and writing of the manuscript.

Conflict of Interest

The authors declare that they have no competing interests.

References

1. Ludvigsson JF. Systematic review of COVID-19 in children shows milder cases and a better prognosis than adults. *Acta Paediatrica* 2020; 109(6):1088-95.
2. Feldstein LR, Rose EB, Horwitz SM, Collins JP, Newhams MM, Son MBF, et al. Multisystem inflammatory syndrome in US children and adolescents. *New England Journal of Medicine* 2020.
3. Romeo RD. The impact of stress on the structure of the adolescent brain: Implications for adolescent mental health. *Brain research* 2017; 1654:185-91.
4. Fox SE, Levitt P, Nelson III CA. How the timing and quality of early experiences influence

- the development of brain architecture. *Child development* 2010; 81(1):28-40.
5. Merikangas KR, He J-p, Burstein M, Swanson SA, Avenevoli S, Cui L, et al. Lifetime prevalence of mental disorders in US adolescents: results from the National Comorbidity Survey Replication–Adolescent Supplement (NCS-A). *Journal of the American Academy of Child & Adolescent Psychiatry* 2010; 49(10):980-9.
6. Gore FM, Bloem PJ, Patton GC, Ferguson J, Joseph V, Coffey C, et al. Global burden of disease in young people aged 10–24 years: a systematic analysis. *The Lancet* 2011; 377(9783):2093-102.
7. Courtney D, Watson P, Battaglia M, Mulsant BH, Szatmari P. COVID-19 Impacts on Child and Youth Anxiety and Depression: Challenges and Opportunities. *The Canadian Journal of Psychiatry* 2020:0706743720935646.